# SILEX

## Range Booklet









# SILEX WALL



#### TECHNICAL CHARACTERISTICS:

RECTIFIED CERAMIC WHITE BODY WALL TILES SHADING: V2 MODERATE





SILEX BLANCO VC02368 24 X 69 CM (10.5MM)



SILEX SPLIT GRIS (PRE-CUT) VC02369 24 X 69 CM (10.5MM)



SILEX SPLIT NEGRO (PRE-CUT) VC02370 24 X 69 CM (10.5MM)



### THE SURFACE WITHIN™

# SILEX FLOOR



#### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE GLAZED BODY FLOOR TILES WEAR GRADE: III








SILEX NEGRO RECT VC02372 32 X 32 CM (8.3MM)



### THE SURFACE WITHIN™

# SILEX TECHNICAL







The European logo of environmental quality certifies compliance with the European environmental criteria and is only given to products that have a low environmental impact. Ecolabel is quality award that identifies and promotes the most ecofriendly products. The environmental criteria evaluate the impact on the entire life cycle: extraction of raw materials, manufacturing, distributions, use and final disposal.



Transport Way Cowley Oxford OX4 6LX United Kingdom T. 01865 778 225 www.minoli.co.uk

#### THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ T. 020 7474 2934 www.thesurfacewithin.co.uk