



# SUNROCK

---

Range Booklet



THE SURFACE WITHIN™

**minoli**

# SUNROCK JERUSALEM IVORY




## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO R11

SHADING: V3 HIGH



SUNROCK JERUSALEM IVORY MATT  
VC02776  
30/60 (9MM)



SUNROCK JERUSALEM IVORY BRICK MOSAICO  
VC02778  
30/60



SUNROCK JERUSALEM IVORY MATT  
VC02655  
60/60 (9MM)



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK JERUSALEM IVORY



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO & LASTRA R11

SHADING: V3 HIGH



SUNROCK JERUSALEM IVORY STRUTTURATO  
60/60 (9MM)  
[SPECIAL ORDER](#)




SUNROCK JERUSALEM IVORY LASTRA  
60/60 (20MM)  
[SPECIAL ORDER](#)



SUNROCK JERUSALEM IVORY STRUTTURATO  
30/60 (9MM)  
[SPECIAL ORDER](#)




SUNROCK JERUSALEM  
IVORY MATT  
45/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK JERUSALEM  
IVORY MATT  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK JERUSALEM  
IVORY STRUTT.  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK JERUSALEM  
IVORY MATT  
15/90 (9MM)  
[SPECIAL ORDER](#)

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK BOURGOGNE SAND



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN  
WEAR GRADE: V  
SLIP RESISTANCE: MATT R9 / STRUTTURATO R11  
SHADING: V3 HIGH



SUNROCK BOURGOGNE SAND MATT  
VC02777  
30/60 (9MM)



SUNROCK BOURGOGNE SAND BRICK MOSAICO  
VC02779  
30/60



SUNROCK BOURGOGNE SAND MATT  
VC02656  
60/60 (9MM)



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK BOURGOGNE SAND



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO & LASTRA R11

SHADING: V3 HIGH



SUNROCK BOURGOGNE SAND STRUTTURATO  
60/60 (9MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE SAND LASTRA  
60/60 (20MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE SAND STRUTTURATO  
30/60 (9MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE  
SAND MATT  
45/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE  
SAND MATT  
15/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE  
SAND STRUTT.  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK BOURGOGNE  
SAND MATT  
22.5/90 (9MM)  
[SPECIAL ORDER](#)

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK RAPOLANO BEIGE



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO R11

SHADING: V3 HIGH



SUNROCK RAPOLANO BEIGE MATT  
30/60 (9MM)  
SPECIAL ORDER



SUNROCK RAPOLANO BEIGE BRICK MOSAICO  
30/60  
SPECIAL ORDER



SUNROCK RAPOLANO BEIGE MATT  
60/60 (9MM)  
SPECIAL ORDER



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK RAPOLANO BEIGE



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO & LASTRA R11

SHADING: V3 HIGH



SUNROCK RAPOLANO BEIGE STRUTTURATO  
60/60 (9MM)  
[SPECIAL ORDER](#)




SUNROCK RAPOLANO BEIGE LASTRA  
60/60 (20MM)  
[SPECIAL ORDER](#)



SUNROCK RAPOLANO BEIGE STRUTTURATO  
30/60 (9MM)  
[SPECIAL ORDER](#)




SUNROCK RAPOLANO  
BEIGE MATT  
45/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK RAPOLANO  
BEIGE MATT  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK RAPOLANO  
BEIGE STRUTT.  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK RAPOLANO  
BEIGE MATT  
15/90 (9MM)  
[SPECIAL ORDER](#)

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK TRAVERTINO WHITE



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO R11

SHADING: V2 MODERATE



SUNROCK TRAVERTINO WHITE MATT

VC02889

30/60 (9MM)

ALSO AVAILABLE IN STRUTTURATO



SUNROCK TRAVERTINO WHITE MATT

VC02890

60/60 (9MM)

SPECIAL ORDER



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



# SUNROCK TRAVERTINO WHITE



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN


WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO & LASTRA R11

SHADING: V2 MODERATE



SUNROCK TRAVERTINO WHITE STRUTTURATO  
60/60 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO WHITE STRUTTURATO  
30/60 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
WHITE MATT  
45/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
WHITE MATT  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
WHITE STRUTT.  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
WHITE MATT  
15/90 (9MM)  
[SPECIAL ORDER](#)

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK TRAVERTINO ALMOND



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN  
WEAR GRADE: V  
SLIP RESISTANCE: MATT R9 / STRUTTURATO R11  
SHADING: V2 MODERATE



SUNROCK TRAVERTINO ALMOND MATT  
30/60 (9MM)  
ALSO AVAILABLE IN STRUTTURATO



SUNROCK TRAVERTINO ALMOND BRICK MOSAICO  
30/60  
SPECIAL ORDER



SUNROCK TRAVERTINO ALMOND MATT  
60/60 (9MM)  
SPECIAL ORDER



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK TRAVERTINO ALMOND



## TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R9 / STRUTTURATO & LASTRA R11

SHADING: V2 MODERATE



SUNROCK TRAVERTINO ALMOND STRUTTURATO  
60/60 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
ALMOND MATT  
45/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
ALMOND MATT  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
ALMOND STRUTT.  
22.5/90 (9MM)  
[SPECIAL ORDER](#)



SUNROCK TRAVERTINO  
ALMOND MATT  
15/90 (9MM)  
[SPECIAL ORDER](#)




SUNROCK TRAVERTINO ALMOND MATT  
30/60 (9MM)  
[SPECIAL ORDER](#)

## THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

# SUNROCK SHADING




Moderate/High V2/V3


The products within the Minoli 'SUNROCK' range have a degree of shade variation from tile to tile, characterised by a Moderate to High finish to the surface.




Light V1



Moderate V2



High V3



Random V4

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



Transport Way Cowley Oxford OX4 6LX United Kingdom  
T. 01865 778 225 [www.minoli.co.uk](http://www.minoli.co.uk)

**THE SURFACE WITHIN™**

71-73 George Street London W1U 8AQ  
T. 020 7474 2934 [www.thesurfacewithin.co.uk](http://www.thesurfacewithin.co.uk)