

OXIDATIO

Range Booklet



THE SURFACE WITHIN™

minoli

OXIDATIO LITHIUM



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN STONEWARE

SHADING: V3 HIGH

SLIP RESISTANCE: R9



OXIDATIO LITHIUM
VC03573
60/60 (9MM)



OXIDATIO LITHIUM
VC03571
30/60 (9MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

OXIDATIO TELLURIUM


minoli

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SHADING: V3 HIGH
SLIP RESISTANCE: R9



OXIDATIO TELLURIUM
VC03574
60/60 (9MM)



OXIDATIO TELLURIUM
VC03572
30/60 (9MM)




THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL


OXIDATIO SHADING




The products within the Minoli 'OXIDATIO' range have a degree of shade variation from tile to tile, characterised by a High finish to the surface.




High V3




Light V1



Moderate V2



High V3



Random V4

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



Transport Way Cowley Oxford OX4 6LX United Kingdom
T. 01865 778 225 www.minoli.co.uk

THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk