
# ARBOR

### Range Booklet





**THE SURFACE WITHIN™** 

# ARBOR COGNAC



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10, GRIP R11





ARBOR COGNAC MATT VC03612 18.5/150 (9.5MM)



ARBOR COGNAC MATT 15/90 (9MM) SPECIAL ORDER



ARBOR COGNAC GRIP 15/90 (9MM) SPECIAL ORDER





# ARBOR COGNAC



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10





ARBOR COGNAC HERRINGBONE 36.2/41.2 (9MM) SPECIAL ORDER



ARBOR COGNAC MATT (NON-RECTIFIED) 7.5/60 (8.5MM) SPECIAL ORDER



ARBOR COGNAC TATAMI 22.5/90 (9MM) SPECIAL ORDER



ARBOR COGNAC MATT 30/240 (9MM) SPECIAL ORDER



## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

ARBOR GREY GRIP 15/90 (9MM) SPECIAL ORDER



ARBOR GREY MATT 15/90 (9MM) SPECIAL ORDER



**ARBOR** GREY

ARBOR GREY MATT VC03613 18.5/150 (9.5MM)



RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10, GRIP R11

**TECHNICAL CHARACTERISTICS:** 





# ARBOR GREY



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH





ARBOR GREY TATAMI 22.5/90 (9MM) SPECIAL ORDER



ARBOR GREY HERRINGBONE 36.2/41.2 (9MM) SPECIAL ORDER



THE SURFACE WITHIN™

## THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

ARBOR ALMOND GRIP 15/90 (9MM) SPECIAL ORDER



ARBOR ALMOND MATT 15/90 (9MM) SPECIAL ORDER



ARBOR ALMOND MATT VC03614 18.5/150 (9.5MM)




TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10, GRIP R11



**minoli** 





# ARBOR ALMOND



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH





**THE SURFACE WITHIN™** 

ARBOR ALMOND TATAMI 22.5/90 (9MM) SPECIAL ORDER



ARBOR ALMOND HERRINGBONE 36.2/41.2 (9MM) SPECIAL ORDER



## **THE SURFACE WITHIN™**

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

ARBOR NATURAL GRIP 15/90 (9MM) SPECIAL ORDER



ARBOR NATURAL MATT 15/90 (9MM) SPECIAL ORDER



ARBOR NATURAL MATT 18.5/150 (9.5MM) SPECIAL ORDER




**TECHNICAL CHARACTERISTICS:** 

**RECTIFIED PORCELAIN** SHADING: V3 HIGH SLIP RESISTANCE: MATT R10, GRIP R11



<u>minoli</u>



# ARBOR NATURAL

# ARBOR NATURAL



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10





36.2/41.2 (9MM) SPECIAL ORDER



ARBOR COGNAC MATT (NON-RECTIFIED) 7.5/60 (8.5MM) SPECIAL ORDER



ARBOR COGNAC TATAMI 22.5/90 (9MM) SPECIAL ORDER



ARBOR COGNAC MATT 30/240 (9MM) SPECIAL ORDER



## **ARBOR** TOBACCO



### **TECHNICAL CHARACTERISTICS:**

**RECTIFIED PORCELAIN** SHADING: V3 HIGH SLIP RESISTANCE: MATT R10, GRIP R11





ARBOR TOBACCO MATT 18.5/150 (9.5MM) SPECIAL ORDER



ARBOR TOBACCO MATT 15/90 (9MM) SPECIAL ORDER



**THE SURFACE WITHIN™** 









# ARBOR TOBACCO



### TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN SHADING: V3 HIGH SLIP RESISTANCE: MATT R10





ARBOR COGNAC HERRINGBONE 36.2/41.2 (9MM) SPECIAL ORDER



7.5/60 (8.5MM) SPECIAL ORDER



ARBOR COGNAC TATAMI 22.5/90 (9MM) SPECIAL ORDER




ARBOR COGNAC MATT 30/240 (9MM) SPECIAL ORDER

## THE SURFACE WITHIN™

# ARBOR SHADING





## **THE SURFACE WITHIN™**



Transport Way Cowley Oxford OX4 6LX United Kingdom T. 01865 778 225 www.minoli.co.uk

### THE SURFACE WITHIN<sup>™</sup>

71-73 George Street London W1U 8AQ T. 020 7474 2934 www.thesurfacewithin.co.uk