Las-

minoli

www.minoli.co.uk

# What's New 20**22**

- Wand
- Lumi
- Norw
- Elysia
- Lago
- Exigo
- Abou
- Symb

# Contents

nderlust	04
ninous-Lume	16
way	24
sian	36
oona	44
<u>(</u> 0	50
out Minoli	52
bols & Technical information	54

Material	Rectified Porcelain
Finish	Polished/Lappato
Size(s)*	120/278, 80/160, 80/80
Thickness	9 mm (120/278 6mm)
Slip Resistance	N/A
Use	Wall & Floor
Shading	V2 Moderate
Frost Resistant	Yes



#### \*Size & calibration


The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.








# Galway Green




Siberian Malachite





Four Seasons





Usually available from stock Please check availability at time of ordering

#### Galway Green






New Four Seasons



Size Calibrated Size\* Product Code Availability 120/278 1198 x 2778 x 6 mm WDL1034

#### Labradorite



Size Calibrated Size* Product Code Avai	
120/278 1198 x 2778 x 6 mm WDL1013	

#### Agata Black

120/278 1198 x 2778 x 6 mm WDL1032



#### Size Calibrated Size\* Product Code Availability 120/278 1198 x 2778 x 6 mm WDL1018



120/278 1198 x 2778 x 6 mm WDL1017

Calibrated Size\* Product Code Availability

5

120/278 1198 x 2778 x 6 mm WDL1033

Agata Multicolour

Size

#### Agata Blue



Size	Calibrated Size*	Product Code	Availability
120/278	1198 x 2778 x 6 mm	WDL1016	

#### Saint Laurent



Size	Calibrated Size*	Product Code	Availab
120/278	1198 x 2778 x 6 mm	WDL1015	
80/160	798 x 1598 x 9 mm	WDL1008	
80/80	798 x 798 x 9 mm	WDL1004	

#### 12 Summer Preview 2022



Non Stock Items Non-Stock Items - Approx. 21-28 days

#### Azul Puro

#### Dark Cosmo



Size	Calibrated Size*	Product Code	Availability
120/278	1198 x 2778 x 6 mm	WDL1012	
80/160	798 x 1598 x 9 mm	WDL1006	<u>_</u>
80/80	798 x 798 x 9 mm	WDL1002	

Size	Calibrated Size*	Product Code	Availability
120/278	1198 x 2778 x 6 mm	WDL1014	
80/160	798 x 1598 x 9 mm	WDL1007	
80/80	798 x 798 x 9 mm	WDL1003	

bility

19 19 5

#### Calacatta Copper



A TAK	RESPECTS
	A CAR

Libeccio Antico

Onice Brown



Size	Calibrated Size*	Product Code	Availability
120/278	1198 x 2778 x 6 mm	WDL1009	
80/160	798 x 1598 x 9 mm	WDL1005	
80/80	798 x 798 x 9 mm	WDL1001	

roduct Code	Availability	Size	Calibrated Size*
VDL1009		120/278	1198 x 2778 x 6 mr
/DL1005			
	_		

 alibrated Size\*
 Product Code
 Availability

 98 x 2778 x 6 mm
 WDL1010
 Image: Compare the second s

Size	Calibrated Size*	Product Code	Availability
120/278	1198 x 2778 x 6 mm	WDL1011	







# Luminous - Lume

Material	Porcelain
Finish	Gloss
Size(s)*	6/24
Thickness	10 mm
Slip Resistance	N/A
Use	Wall & Floor
Shading	V2 Moderate + V3 High
Frost Resistant	Yes





#### \*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.

	-		N 191		
			1	1203	
				-	
		1	. k.		
			1.4.1.1.1.		
			1		
	-				
			14		
				<u></u>	
		the states of	1	-	
and the second second					
	1			and the state	




# **Blu China**












# Luminous - Lume



Blue

**Usually available from stock** Please check availability at time of ordering







Size	Calibrated Size*	Product Code	Availa
6/24	-	VC03642	5

#### Beige New Pesca-Roso (Pink) New Classic Off White New Calibrated Size\* Product Code Availability Size Calibrated Size\* Product Code Availability Size Calibrated Size\* Product Code Availability Size $\widehat{\mathbf{A}}$ $\widehat{\mathbf{A}}$ $\widehat{\mathbf{A}}$ LMN1004 6/24 LMN1001 6/24 LMN1005 6/24

Greige




Size	Calibrated Size*	Product Code	Availability
6/24	-	VC03645	




Non Stock Items Non-Stock Items - Approx. 21-28 days

#### Green



#### Black

White



ability	Size	
D	6/24	

# Calibrated Size\* Product Code Availability VC03641 Image: Color of the second second



#### Musk





# Size Calibrated Size\* Product Code Availability 6/24 VC03644 Image: Color of the second sec

# Size Calibrated Size\* Product Code Availability 6/24 VC03640 Cool

#### 23

# Norway

Material	Rectified Porcelain
Finish	Matt, Textured Outdoor
Size(s)*	160/320, 160/160, 120/278, 120/120, 60/120, 60/60, 30/60
Thickness	9 mm, 6 mm (160/320, 160/160, 120/278), 20 mm (Outdoor)
Slip Resistance	R10 Matt, R11 Textured Outdoor
Use	Wall, Floor, External
Shading	V2 Moderate
Frost Resistant	Yes



#### \*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.

















Grus







## Norway



Usually available from stock Please check availability at time of ordering





New

New





Size	Calibrated Size*	Product Code	Availat
120/278	1198 x 2778 x 6 mm	NWY1094	-1-1- -1-1-
120/120	1198 x 1198 x 9 mm	NWY1086	
60/120	598 x 1198 x 9 mm	NWY1073	
60/60	598 x 598 x 9 mm	VC03719	<b>S</b>
30/60	298 x 598 x 9 mm	VC03717	â

Y Farge - Outdoor



Size	Calibrated Size*	Product Code	Availab
80/80	798 x 798 x 20 mm	NWY1103	
60/60	598 x 598 x 20 mm	VC03722	



30/60

298 x 598 x 9 mm NWY1120



New

Size

80/80

Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 x 20 mm	NWY1104	
60/60	598 x 598 x 20 mm	NWY1100	

⊻ Öken - Outdoor

798 x 798 x 20 mm NWY1099

60/60 598 x 598 x 20 mm NWY1106

30/60 298 x 598 x 9 mm NWY1121

New ⊻ Grus - Outdoor

30/60 298 x 598 x 9 mm NWY1122



Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 x 20 mm	NWY1108	
60/60	598 x 598 x 20 mm	NWY1107	



Non Stock Items Non-Stock Items - Approx. 21-28 days

#### Melk

ability				
3				
5				
5				
$\mathcal{D}$				
$\mathcal{D}$				

Size	Calibrated Size*	Product Code	Availability
120/120	1198 x 1198 x 9 mm	NWY1085	
60/120	598 x 1198 x 9 mm	NWY1072	
60/60	598 x 598 x 9 mm	VC03718	
30/60	298 x 598 x 9 mm	VC03716	



oility 3 D

## Norway



#### Usually available from stock Please check availability at time of ordering






Svart







Gra




Size Calibrated Size\* Product Code Availability 120/120 1198 x 1198 x 9 mm NWY1083 60/120 598 x 1598 x 9 mm NWY1070 60/60 598 x 598 x 9 mm VC02757 30/60 298 x 598 x 9 mm VC02754

Gra - XL



Size	Calibrated Size*	Product Code	Availal
160/320	1598 x 3198 x 6 mm	NWY1098	Å'l
160/160	1598 x 1598 x 6 mm	NWY1097	
120/278	1198 x 2778 x 6 mm	NWY1093	

#### Yit - Outdoor





Size	Calibrated Size*	Product Code	Availability
90/90	898 x 898 x 20 mm	NWY1079	
80/80	798 x 798 x 20 mm	NWY1102	
60/60	598 x 598 x 20 mm	NWY1061	



У	Size	Calibrated Size*	Product Code	Availability
_	90/90	898 x 898 x 20 mm	NWY1081	
	80/80	798 x 798 x 20 mm	NWY1105	
	60/60	568 x 598 x 20 mm	NWY1063	

#### 🏆 Gra - Outdoor



Size	Calibrated Size*	Product Code	Availability
120/120	1198 x 1198 x 20 mr	n NWY1092	
90/90	898 x 898 x 20 mm	NWY1080	
80/80	798 x 798 x 20 mm	NWY1101	
60/60	598 x 598 x 20 mm	NWY1062	



#### Non Stock Items

Non-Stock Items - Approx. 21-28 days

ability 2 

# Elysian

Material	Rectified Porcelain
Finish	Brushed (Matt), Textured Outdoor
Size(s)*	60/120, 80/80
Thickness	9 mm, 20 mm
Slip Resistance	R10 Matt, R11 Textured Outdoor
Use	Wall, Floor, External
Shading	V2 Moderate
Frost Resistant	Yes



#### \*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.






AX7

# **Desert Stone**

38







# Elysian

#### Mediterranea

New Desert Stone

New

 Size
 Calibrated Size\*
 Product Code
 Availability

 80/80
 798 x 798 x 9 mm
 ELN101
 Size
 Calibrated Size\*
 Product Code
 Availability

 80/80
 798 x 798 x 9 mm
 ELN101
 Size
 Calibrated Size\*
 Product Code
 Availability

 80/80
 798 x 798 x 9 mm
 ELN101
 Size
 Calibrated Size\*
 Product Code
 Availability


 80/80
 798 x 798 x 9 mm
 ELN101
 Size
 Calibrated Size\*
 Product Code
 Availability

#### ⊻ Mediterranea - Outdoor New ⊻ Desert Stone - Outdoor New



Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 x 20 mm	ELN1003		80/80	798 x 798 x 20 mm	ELN1004	
60/120	598 x 1198 x 20 mm	ELN1005		60/120	598 x 1198 x 20 mm	ELN1006	





# Lagoona

Material	Rectified Porcelain
Finish	Matt
Size(s)*	60/60, 30/60
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor
Shading	V2 Moderate
Frost Resistant	Yes



#### \*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.

#### Moonbeam New Sandshell Calibrated Size\* Product Code Availability Size Calibrated Size\* Product Code Availability Size 6 598 x 598 x 9 mm LGN1003 60/60 5 298 x 598 x 9 mm LGN1001 30/60



60/60	598 x 598 x 9 mm	LGN1004	
30/60	298 x 598 x 9 mm	LGN1002	









goo







# Exigo

Material	Rectified Porcelain
Finish	Matt, Lappato/Polished
Size(s)*	60/60, 30/60
Thickness	8 mm
Slip Resistance	Matt R9
Use	Wall & Floor
Shading	V2 Moderate
Frost Resistant	Yes



#### \*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.

#### Calacatta

New Jolie Grey

New





Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
60/60 Matt	595 x 595 x 8 mm	EXG1002		60/60 Matt	595 x 595 x 8 mm	EXG1005	
60/60 Lappato	595 x 595 x 8 mm	EXG1003		60/60 Lappato	595 x 595 x 8 mm	EXG1006	
30/60 Matt	296 x 595 x 8 mm	EXG1001		30/60 Matt	296 x 595 x 8 mm	EXG1004	







#### About Minoli

いたもい

The state


Established in 1960, Minoli is one of the UK's original tile importers and distributors.

Our goal is simply to source and supply the most beautiful indoor and outdoor porcelain tiles, for use on floors and walls, and to offer customers a level of service that's considered second to none.

Whilst many of our values remain true to those on which the firm was founded, we're forward thinking and focused on continued growth in terms of our expanding product portfolio, our premises and facilities, our vehicle fleet and the size of our team.

Working closely with the leading production plants in Italy, we bring you the latest cutting-edge designs, comprising a diverse range of different contemporary and classic styles in stone effect, concrete, marble and wood-look finishes.

This brochure contains details of six new product launches, and you can discover more about our



# Why choose Minoli?

#### Experts in our field

Dedicated teams to advise and assist our housebuilder, developer, corporate and private homeowner clients.

#### Investing in excellence

From our state-of-the-art warehousing and stock-holding, to our purpose-built vehicle fleet and highly-skilled team members.

#### Quality and choice

Carefully selected, technically advanced product ranges to suit every application, from great value to luxurious and unique finishes.

#### Exclusive supply

Long-standing relationships with premier production plants mean we're often first to market with the latest products on an exclusive basis.

#### Setting new trends

We're at the cutting edge of tile technology with the latest textures, tones and extra-large formats, for use inside and outdoors.



-

#### Service standards

Working together as one-team to deliver a seamless customer service that's considered second to none.

#### Inspirational showrooms

Centrally located in Oxford and London, we can arrange in-person or virtual consultations to help you choose and specify.

#### Delivery capability

Throughout the UK, our delivery capability is equipped to reliably meet the needs of our professional and residential clients.

#### Pan-European coverage

For clients in automotive, retail and hospitality, we can source and supply across Europe to ensure consistency of corporate identity.

#### Award winning

Recognised within the industry and beyond for our distribution capabilities, product qualities and customercentred ways of working

# **Symbols & Technical Info**



#### Slip Resistance

Where possible we will indicate the slip resistance indicated by an 'R' rating, ranging from R9 (for indoor areas) to R12 (the highest value – recommended for external areas). If you require more technical details concerning the safety characteristics, please contact us directly.




#### **Frost Resistance**

Tiles that have been classified as 'frost resistant' have been tested for conditions when freeze/ thawing occurs.



#### Shading


Products with the shading symbol (V1 - V4), indicates the range has a degree of shade variation from tile to tile (within the batch), characterised by a light to random finish to the surface.



#### **Please Note**

This literature is intended as a guide only.

Print cannot reproduce a true likeness of colour, tone or texture. Reference to a sample is essential.





MINOLI Transport Way, Cowley, Oxford, OX4 6LX

T: 01865 778 225 info@minoli.co.uk THE SURFACE WITHIN™ 71 -73 George Street, London, W1U 8AQ

T: 020 7474 2934 thesurfacewithin@minoli.co.uk