

2023 Update

The State of the S

Sale Ward V







Welcome to Outdoor by Minoli

Connected living - inside and out

Working closely with the leading production plants in Italy, we source and supply an extensive collection of outdoor porcelain tiles comprising a diverse range of different natural finishes and contemporary styles.

To enhance external areas, we tend to invest in new furniture, parasols, gazebos, barbeques and cooking equipment, patio heaters and even hot tubs, but it's often the hard-standing surface that can make or break the overall effect.

traditional materials.

What's more, new manufacturing processes allow for 20mm+ thicknesses to be produced, resulting in tiles with a much greater load bearing that are ideal for external use.

Within this brochure we highlight an initial collection of stock ranges including those in stone, concrete and wood effect and you can see more of our extensive outdoor product portfolio on our website at www.minoli.co.uk

OUTDOOR ⊻

Specifically designed and produced for outdoor application, extra thick 20mm+ porcelain tiles are the on-trend alternative to traditional patio paving slabs. Durable, colour fast, frost proof and slip resistant, many are available with complementary indoor versions to match.

Emulate the beauty of your interior design and extend your living spaces outside with a contemporary and continental lifestyle look.

Making your outdoors great!

Even with care, cleaning and maintenance, over time stone pavers, wooden decking and textured concrete slabs can become stained, slippery and dull, but there is a new alternative to these more

Today's porcelain tiles are more durable and colourfast, stain and slip resistant than ever. Porcelain is an extremely dense material and, with near zero porosity, the surface is almost impenetrable to water and dirt, and extremely resilient to frost damage and strong sunlight.





Aix Blanc Textured Outdoor 120/120 - 20 mm

Why choose exterior use porcelain?

Exterior use porcelain tiles and slabs are becoming the sought-after alternative to traditional paving materials for outdoor areas. The technological and aesthetic qualities of porcelain bring many benefits over stone, concrete, blockwork, asphalt, wood and composite decking.

Diversity of Design

Exterior use porcelain tiles are available in a wider range of colours, finishes and formats including concrete, stone and wood effects, and in new eye-catching, extra-large size slabs.

Connecting Indoor and Outdoor Spaces

Many outdoor ranges are available with coordinating indoor versions to match for a seamless transition from inside to out, through patio doors and picture windows.

Strong and Durable

Using the latest manufacturing techniques, 20mm+ porcelain pavers are twice the thickness of standard tiles and so high load bearing, impact and scratch resistant, and will not warp like wood.

Flexible Installation

There are multiple installation methods for outdoor porcelain including fixing using adhesive, laid to grass or earth or on pedestal systems, which allow easy access and inspection of cabling, pipework and drainage.

Anti-Slip Surfaces

With R11+ ratings suitable for a range of external areas including patios, steps, terraces and swimming pool surrounds, outdoor porcelain tiles come with textured, higher-grip surfaces.

Temperature Proof

Low porosity and vitrification make porcelain highly resistant to frost and extreme summer heat, and so able to withstand what is termed as 'thermal shock'.

Easy to Clean

Impervious to dirt, oils and chemicals, outdoor porcelain requires only low maintenance using household products and a stiff brush, or occasional treatment with a tile cleaning solution.

OUTDOOR≌

Algae and Moss Resistant

The near-impermeable surface does not attract moss or algae in damp conditions, which can cause surfaces to become slippery. Unlike natural wood, porcelain will not suffer from mould or rot.

Colourfast

Porcelain tiles are entirely resistant to fading even when exposed to bright sunshine. Most of our exterior ranges are through-body coloured which minimises the visibility of edges and minor chips.

Uniform Construction

Minoli outdoor porcelain tiles have rectified edges which means they have been cut to exact dimensions during production. This allows for thin grout lines and perfect surface alignment.

Zero Toxicity and VOCs

Porcelain tiles are hygienic and healthy because they do not contain toxic organic substances such as volatile organic compounds (VOCs), formaldehyde, PVC, or other petroleum derivatives.

Can Be Cut and Profiled

The nature of the porcelain material means extreme precision can be achieved when tiles are cut, edges are bevelled and when intricate specialist pieces are required for drainage, steps and poolside.

Multiple Applications

Exterior porcelain tiles can be used in so many different settings including patios, driveways, pool surrounds, pathways, outdoor rooms and kitchens, roof terraces, balconies, and steps.

OUTDOOR ⊻

Why choose Minoli Outdoor?

Partnering for success

Working with the pre-eminent Italian production plants, we have arguably the most comprehensive and cutting-edge collections of exterior use porcelain paving in the UK, many with coordinating interior tiles to match.

We have ranges with exterior products to suit all applications and budgets, from our great value Core Collections to exclusive, luxurious Contemporary lines, with anti-slip surfaces and 20mm+ thickness.

Top-flight housebuilders and developers, landscapers and garden designers choose Minoli as their supplier. Our clients include The Blenheim Estate, Rectory Homes, Pye Homes and Berkeley Group.

From our Oxfordshire headquarters and London showrooms, we serve professional clients and residential homeowners across the South, Southeast, Home Counties and Midlands.

A service second to none

Minoli are a leading, award-winning importer, distributor and retailer of high-quality Italian porcelain tiles, with over 60 years' experience and expertise.

We continually invest in the capabilities that matter to our customers - selecting the right products, stockholding in the UK, our ability to reliably deliver and a concerted focus on customer service.

Our dedicated client teams are experts in their fields – advising professionals to select and specify the right products for their developments and projects, and advising homeowners to choose with confidence.

We're reliable, resilient, resourceful, resolute and reputable. Once you see beyond the surface, you'll find there's more to Minoli than might first meet the eye.



60/120 - 20 mm



Elysian Desert Stone Textured Outdoor

Stone Look





Page 16

Page 64

Page 58



Page 10



Page 42 Page 48

Concrete Look









Wood Look



Twenty Thunder Twenty Mist

Page 44

Page 46



Find your look





Elysian Desert Stone

Page 24



Norde Magnesio Page 18



Aix Blanc

Page 8



Aix Beige

Page 12



Norway Farge Page 36



Norway Hav Page 32



Norway Oken Page 34



Twenty Crust

Page 40





Glocal Perfect

Page 54



Flux Concrete

Page 72



Glocal Sugar

Page 56



Boost Clay

Page 66



Twelvenoon Honey

Page 50




AIX

Main Image - Floor Tiles: Aix Blanc Textured Outdoor I 60/90 - 20 mm



Aix Blanc Textured Outdoor 60/90 - 20 mm





AIX

Main Image - Floor Tiles: Aix Cendre Textured Outdoor I 60/90 - 20 mm



Aix Cendre Textured Outdoor 60/90 - 20 mm







AIX

Main Image - Floor Tiles: Aix Beige Grip I 37.5/75 - 9 mm



Aix Beige Textured Outdoor 60/90 - 20 mm






More info

Range	Aix
Material	Rectified Porcelain
Look	Stone
Finish	Textured
Size(s)*	60/90
Thickness	20 mm
Slip Resistance	R11
Shading	V3 High
Frost Resistant	Yes
Origin	Italy

Fumée



Co-ordinating indoor/outdoor options

Matt	
Size(s)*	75/150, 75/75, 37.5/75
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)

For more information on co-ordinating inside floor tiles, please visit us online or in store. www.minoli.co.uk



Packaging

Size*	Pieces	Mt²	Boxes	Kg	Mt²
	per box	per box	per pallet	per box	per pallet
60/90	2	1.08	24	48.50	25.95

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.





R11

Grip

Size(s)*	37.5/75
Thickness	9 mm
Slip Resistance	R11
Use	Wall & Floor (Indoor & Outdoor)



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days

15



NORDE

Main Image - Floor Tiles: Norde Platino Textured Outdoor I 60/90 - 20 mm



Norde Platino Textured Outdoor 80/80 - 20 mm

Available from stock

 $\widehat{\mathbf{A}}$



Norde Platino Textured Outdoor 60/90 - 20 mm





NORDE

Main Image - Floor Tiles: Norde Magnesio I 30/60 - 9 mm



Norde Magnesio Textured Outdoor 80/80 - 20 mm

Available from stock

 $\widehat{\mathbf{A}}$



Norde Magnesio Textured Outdoor 60/90 - 20 mm



NORDE

Magnesio







Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	NRD1037		80/80	798 x 798 mm	NRD1038		80/80	798 x 798 mm	NRD1039	
60/120	598 x 1198 mm	NRD1033		60/120	598 x 1198 mm	NRD1034		60/120	598 x 1198 mm	NRD1035	
60/90	598 x 898 mm	NRD1029		60/90	598 x 898 mm	NRD1030		60/90	598 x 898 mm	NRD1031	
60/60	598 x 598 mm	NRD1025		60/60	598 x 598 mm	NRD1026		60/60	598 x 598 mm	NRD1027	



20 MM

More info

Range	Norde
Material	Rectified Porcelain
Look	Stone
Finish	Textured
Size(s)*	80/80, 60/120, 60/90, 60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V3 High
Frost Resistant	Yes
Origin	Italy

Piombo



Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	NRD1040	
60/120	598 x 1198 mm	NRD1036	
60/90	598 x 898 mm	NRD1032	
60/60	598 x 598 mm	NRD1028	

Co-ordinating indoor/outdoor options

Matt

Size(s)*	60/120, 60/60, 30/60
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)

Grip

Size(s)*	60/120
Thickness	9 mm
Slip Resistance	R11
Use	Wall & Floor (Indoor & Outdoor)

For more information on co-ordinating inside floor tiles, please visit us online or in store. www.minoli.co.uk

see beyond the surface 20



Packaging

Size*	Pieces per box	Mt² per box	Boxes per pallet	Kg per box	Mt² per pallet
80/80	1	0.64	42	29.70	26.88
60/120	1	0.72	35	33.35	25.20
60/90	2	1.08	24	48.50	25.95
60/60	2	0.72	40	33.00	21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



Roccia (Rock Textured)

R12

Size(s)*	30/60
Thickness	9 mm
Slip Resistance	R12
Use	Wall & Floor (Indoor & Outdoor)



R10



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days



ELYSIAN

Main Image - Internal Floor Tiles: Elysian Mediterranea Matt I 80/80 - 9 mm

Main Image - External Floor Tiles: Elysian Mediterranea Textured Outdoor I 80/80 - 20 mm



Elysian Mediterranea Textured Outdoor 80/80 - 20 mm

Available from stock



Elysian Mediterranea Textured Outdoor 60/120 - 20 mm





ELYSIAN

Main Image - Floor Tiles: Elysian Desert Stone Textured Outdoor I 80/80 - 20 mm



Elysian Desert Stone Textured Outdoor 80/80 - 20 mm

Available from stock

 $\widehat{\mathbf{A}}$



Elysian Desert Stone Textured Outdoor 60/120 - 20 mm



ELYSIAN

Mediterranea

Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	ELN1003		80/80	798 x 798 mm	ELN1004	
60/120	598 x 1198 mm	ELN1005		60/120	598 x 1198 mm	ELN1006	

Desert Stone

20 MM

More info

Range	Elysian
Material	Rectified Porcelain
Look	Stone
Finish	Textured
Size(s)*	80/80, 60/120
Thickness	20 mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Co-ordinating indoor/outdoor options

Matt

Size(s)*	80/80
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
80/80	1	0.64	42	29.70	28.50
60/120	1	0.72	35	33.35	32.00

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.








Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days



BOOST STONE

Main Image - Floor Tiles: Boost Stone White Textured Outdoor I 120/120 - 20 mm



Boost Stone White Textured Outdoor 60/60 + 120/120 - 20 mm

Available from stock



Boost Stone White Textured Outdoor 60/120 - 20 mm



BOOST STONE





Cream



~

20 MM

Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
1198 x 1198 mm	BST1328		120/120	1198 x 1198 mm	BST1327	-0-0 	120/120	1198 x 1198 mm	BST1325	
598 x 1198 mm	BST1334		60/120	598 x 1198 mm	BST1333		60/120	598 x 1198 mm	BST1331	
598 x 598 mm	BST1340		60/60	598 x 598 mm	BST1339		60/60	598 x 598 mm	BST1337	

More info

Range	Boost Stone
Material	Rectified Porcelain
Look	Stone
Finish	Textured
Size(s)*	120/120, 60/120, 60/60
Thickness	20mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Grey

Size

120/120

60/120

60/60





Tarmac



Calibrated Size* Product Code Availability Size Calibrated Size* Product Code Availability Calibrated Size* Product Code Availability Size Size 5 1198 x 1198 mm BST1329 120/120 1198 x 1198 mm BST1324 120/120 1198 x 1198 mm BST1326 120/120 60/120 598 x 1198 mm BST1335 60/120 598 x 1198 mm BST1330 60/120 598 x 1198 mm BST1332 <u>-</u>_ 60/60 598 x 598 mm BST1336 60/60 598 x 598 mm BST1338 60/60 598 x 598 mm BST1341

Co-ordinating indoor/outdoor options

Matt

Size(s)*	120/278, 120/120, 60/120, 60/60, 30/6
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)
Please Note: Not a	Il sizes available in each colour combina



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
120/120	1	1.44	20	67.66	28.80
60/120	1	0.72	35	33.35	25.20
60/60	2	0.72	30	33.00	21.60

Packaging information is subject to change without notice, contact us for up-to-date information

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



/60

oination.



Grip

R11

Size(s)*	60/120
Thickness	9 mm
Slip Resistance	R11
Use	Wall & Floor (Indoor & Outdoor)


Please Note: Not all sizes available in each colour combination.



Usually available from stock Please check availability at time of ordering




Non Stock Items Non-Stock Items - Approx. 21-28 days






Main Image - Floor Tiles: Norway Hav Textured Outdoor I 60/60 - 20 mm



Norway Hav Textured Outdoor 60/60 + 80/80- 20 mm







Main Image - Floor Tiles: Norway Oken Textured Outdoor I 60/60 - 20 mm



Norway Oken Textured Outdoor 60/60 + 80/80 - 20 mm







Main Image - Floor Tiles: Norway Farge Textured Outdoor I 60/60 - 20 mm




Norway Farge Textured Outdoor 60/60 - 20 mm



NORWAY





Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	NWY1103	
60/60	598 x 598 mm	VC03722	



Oken

Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	NWY1099	
60/60	598 x 598 mm	NWY1106	



NWY1100

20 MM

More info

Range	Norway
Material	Rectified Porcelain
Look	Stone
Finish	Textured
Size(s)*	120/120, 80/80, 60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Vit






Svart

60/60

598 x 598 mm

Hav



Co-ordinating indoor/outdoor options

Size(s)*	160/320, 160/160, 120/278, 120/120, 6
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)
Please Note: Not al	l sizes available in each colour combina

Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
80/80	798 x 798 mm	NWY1102		120/120	1198 x 1198 mm	NWY1092		80/80	798 x 798 mm	NWY1105	
60/60	598 x 598 mm	NWY1061		80/80	798 x 798 mm	NWY1101		60/60	598 x 598 mm	NWY1063	
				60/60	598 x 598 mm	NWY1062					



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
120/120	1	1.44	20	65.30	28.80
80/80	1	0.64	42	28.50	26.88
60/60	2	0.72	30	31.14	21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



60/120, 60/60, 30/60

ination.

Strutturato



Size(s)*	60/60, 80/80	
Thickness	9 mm	
Slip Resistance	R11	
Use	Wall & Floor (Indoor & Outdoor)	

Please Note: Not all sizes available in each colour combination



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days





TWENTY

Main Image - Floor Tiles: Twenty Crust Textured Outdoor I 60/60 - 20 mm



Twenty Crust Textured Outdoor 60/60 - 20 mm







Main Image - Floor Tiles: Twenty Cloud Textured Outdoor I 60/60 - 20 mm



Twenty Cloud Textured Outdoor 60/60 - 20 mm





TWENTY

Main Image - Floor Tiles: Twenty Mist Textured Outdoor I 60/60 - 20 mm



Twenty Mist Textured Outdoor 60/60 - 20 mm








TWENTY

Main Image - Floor Tiles: Twenty Thunder Textured Outdoor I 60/60 - 20 mm



Twenty Thunder Textured Outdoor 60/60 - 20 mm






More info

Range	Twenty
Material	Rectified Porcelain
Look	Stone & Wood
Finish	Textured
Size(s)*	60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Mist

Thunder





Packaging

Size*	Pieces	Mt ²	Boxes	Kg	Mt²
	per box	per box	per pallet	per box	per pallet
60/60	2	0.72	30	31.14	21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.






Main Image - Floor Tiles: Twelvenoon Honey Textured Outdoor I 30/120 - 20 mm



Twelvenoon Honey Textured Outdoor 30/120 - 20 mm





More info

Range	Twelvenoon
Material	Rectified Porcelain
Look	Wood
Finish	Textured
Size(s)*	19.7/120, 30/120
Thickness	20 mm
Slip Resistance	R11
Shading	V4 Random
Frost Resistant	Yes
Origin	Italy

Co-ordinating indoor/outdoor options

Matt	
Size(s)*	20/120
Thickness	9 mm
Slip Resistance	R10



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
30/120	2	0.72	36	134.00	33.52
19.7/120	2	0.47	30	67.66	21.00

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.





Grip

Grip		R11
Size(s)*	20/120	
Thickness	9 mm	
Slip Resistance	R11	
Use	Wall & Floor (Indoor & Outdoor)	



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days




GLOCAL

Main Image - Floor Tiles: Glocal Perfect Textured Outdoor I 80/80 - 20 mm



Glocal Perfect Textured Outdoor 80/80 - 20 mm





GLOCAL

Main Image - Floor Tiles: Glocal Sugar Textured Outdoor I 80/80 - 20 mm



Glocal Sugar Textured Outdoor 80/80 - 20 mm





GLOCAL

Main Image - Floor Tiles: Glocal Ideal Textured Outdoor I 90/90 - 20 mm



Glocal Ideal Textured Outdoor 90/90 - 20 mm






GLOCAL

Main Image - Floor Tiles: Glocal Type Textured Outdoor I 90/90 - 20 mm



Glocal Type Textured Outdoor 90/90 - 20 mm





More info

Range	Glocal
Material	Rectified Porcelain
Look	Concrete
Finish	Textured
Size(s)*	90/90, 80/80
Thickness	20 mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Sugar



 Size
 Calibrated Size*
 Product Code
 Availabil

 80/80
 798 x 798 mm
 GLC1002
 Image: Calibrated Size*



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
90/90	1	0.81	18	37.60	14.58
80/80	1	0.64	42	28.50	26.88

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days



BOOST

Main Image - Floor Tiles: Boost White Textured Outdoor I 90/90 - 20 mm



Boost White Textured Outdoor 60/60 + 90/90 - 20 mm

Available from stock

 $\widehat{\mathbf{A}}$



Boost White Textured Outdoor 60/120 - 20 mm





BOOST

Main Image - Floor Tiles: Boost Clay Textured Outdoor I 90/90 - 20 mm



Boost Clay Textured Outdoor 60/60 + 90/90 - 20 mm

Available from stock



Boost Clay Textured Outdoor 60/120 - 20 mm



~ BOOST 20 MM White Grey Smoke Calibrated Size* Product Code Availability Calibrated Size* Product Code Availability Calibrated Size* Product Code Availability Size Size Size 5 120/120 1198 x 1198 mm BST1139 120/120 1198 x 1198 mm BST1140 120/120 1198 x 1198 mm BST1141 $\widehat{\mathbf{A}}$ <u>-</u>_____ BST1135 90/90 BST1136 90/90 90/90 898 x 898 mm 898 x 898 mm 898 x 898 mm BST1137

BST1128

BST1120

More info

Range	Boost
Material	Rectified Porcelain
Look	Concrete
Finish	Textured
Size(s)*	120/120, 90/90, 60/120, 60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V3 High
Frost Resistant	Yes
Origin	Italy

Tarmac

60/120

60/60



BST1127

BST1119

 $\widehat{\mathbf{A}}$

60/120 598 x 1198 mm

598 x 598 mm

60/60

Size	Calibrated Size*	Product Code	Availability
120/120	1198 x 1198 mm	BST1142	
90/90	898 x 898 mm	BST1138	
60/120	598 x 1198 mm	BST1130	
60/60	598 x 598 mm	BST1122	

Matt

BST1129

BST1121

60/120 598 x 1198 mm

598 x 598 mm

60/60

Size(s)*	160/320, 160/160, 120/278, 120/240, 1 75/150, 75/75, 60/60, 30/60
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)
Please Note: Not al	l sizes available in each colour combina

Contraction of the second s	

598 x 1198 mm

598 x 598 mm



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
120/120	1	1.44	20	67.66	28.80
90/90	1	1.81	18	37.60	14.58
60/120	1	0.72	35	33.35	25.20
60/60	2	0.72	30 33		21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in $\ensuremath{\textbf{mm}}$ and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



, 120/120, 60/120,

nation.



Grip

R11

Size(s)*	120/120
Thickness	9 mm
Slip Resistance	R11
Use	Wall & Floor (Indoor & Outdoor)

Please Note: Not all sizes available in each colour combination.



Usually available from stock Please check availability at time of ordering



Non Stock Items

Non-Stock Items - Approx. 21-28 days

BOOST Cream Clay Taupe							20 MM				
Crea	m			Clay				Taupo	e		
Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability	Size	Calibrated Size*	Product Code	Availability
120/120 90/90	1198 x 1198 mm 898 x 898 mm	BST1143 BST1377		90/90	1198 x 1198 mm 898 x 898 mm	BST1144 BST1375		90/90	1198 x 1198 mm 898 x 898 mm	BST1145 BST1376	
60/120	598 x 1198 mm	BST1131		60/120	598 x 1198 mm	BST1132		60/120	598 x 1198 mm	BST1133	
60/60	598 x 598 mm	BST1123		60/60	598 x 598 mm	BST1124		60/60	598 x 598 mm	BST1125	=

More info

Range	Boost
Material	Rectified Porcelain
Look	Concrete
Finish	Textured
Size(s)*	120/120, 90/90, 60/120, 60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V3 High
Frost Resistant	Yes
Origin	Italy

Tobacco



Size	Calibrated Size*	Product Code	Availability
120/120	1198 x 1198 mm	BST1146	
90/90	898 x 898 mm	BST1374	
60/120	598 x 1198 mm	BST1134	
60/60	598 x 598 mm	BST1126	

Co-ordinating indoor/outdoor options

Matt

Size(s)*	160/320, 160/160, 120/278, 120/240, 1 75/150, 75/75, 60/60, 30/60		
Thickness	9 mm		
Slip Resistance	R10		
Use	Wall & Floor (Indoor only)		
Please Note: Not al	l sizes available in each colour combina		



Packaging

Size*	Pieces per box	Mt ² per box	Boxes per pallet	Kg per box	Mt² per pallet
120/120	1	1.44	20	67.66	57.60
90/90	1	1.81	18	37.60	14.58
60/120	1	0.72	35	33.35	25.20
60/60	2	0.72	30	33.00	21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.



, 120/120, 60/120,

nation.



Grip

R11

Size(s)*	120/120
Thickness	9 mm
Slip Resistance	R11
Use	Wall & Floor (Indoor & Outdoor)


Please Note: Not all sizes available in each colour combination.



Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days



FLUX

Main Image - Floor Tiles: Flux Concrete Textured Outdoor I 60/60 - 20 mm




Flux Concrete Textured Outdoor 60/60 - 20 mm



FLUX







More info

Range	Flux
Material	Rectified Porcelain
Look	Concrete
Finish	Textured
Size(s)*	60/60
Thickness	20 mm
Slip Resistance	R11
Shading	V2 Moderate
Frost Resistant	Yes
Origin	Italy

Co-ordinating indoor/outdoor options

Μ	att

Size(s)*	60/60, 30/60
Thickness	9 mm
Slip Resistance	R10
Use	Wall & Floor (Indoor only)



Packaging

Size*	Pieces	Mt²	Boxes	Kg	Mt²
	per box	per box	per pallet	per box	per pallet
60/60	2	0.72	30	33.00	21.60

Packaging information is subject to change without notice, contact us for up-to-date information.

*Size & calibration

The nominal sizes are indicated in **cm** (60/60 for instance) and are provided as a general reference to the size. The actual calibrated sizes are provided in **mm** and are correct at time of print. Please note that this information may change without notice as there may be variation between production batches. Please check at time of enquiry and ordering if this information is integral to your design or to continuity with existing installations.







Usually available from stock Please check availability at time of ordering



Non Stock Items Non-Stock Items - Approx. 21-28 days

AVAILABLE TO ORDER

20 MM

Stone Look



Bravestone Gypsum

Lims Ivory 60/60, 60/120

Lakestone Sand

60/60, 45/90

Lakestone Tan

Bravestone Earth

60/60, 60/120

60/60, 45/90



Lims Desert

60/60, 60/120

Lims Beige



Trust Gold

Lakestone Grey

60/60, 45/90



Bravestone Pearl

Bravestone Grey

60/60, 60/120, 120/120

Lims Grey

60/60, 60/120








Trust Silver

Trust Titanium

60/60, 60/120





Bravestone Coke

Stone Look



Boost Mix Ivory 60/60, 60/120, 120/120

Travertine Look



 Marvel Travertine White Vein
 Marvel

 60/120
 60/120

Marble Look




Marvel Calacatta Apuano Hammered	
60/120	60/

60/120

OUTDOOR≌





Boost Mix Pearl

Boost Mix Smoke

60/60, 60/120, 120/120



Marvel Travertine Sand Vein



Marvel Travertine Pearl Vein
60/120



larvel Fior Di Bosco Hammered

Metal Look




Blaze Corten

60/60, 60/120, 120/120

AVAILABLE TO ORDER




Wood Look



Travelling East Grey 60/60, 30/120

Essenza Oudh Jinkoh

30/120





Essenza Oudh Pino

30/120



Essenza Oudh Copahu

30/120

30/120


Essenza Oudh Laos



Essenza Oudh Ladano 30/120

Essenza Oudh Elem

30/120



Prism Suede



Concrete Look

Boost Natural Kaolin

60/60, 120/120



80/80



Essenza Oudh Cedro

30/120



Prism Cloud

80/80, 120/120

Non Stock Items Non-Stock Items - Approx. 21-28 days



OUTDOOR≌



Prism Cord

80/80, 120/120







Boost Natural Ash 60/60, 120/120



Boost Natural Ecru 60/60, 120/120



Clay Fancy 80/80



Prism Fog 80/80, 120/120



Clay Awake

80/80





Marvel Ten-X Calacatta Apuano Hammered Outdoor 60/120 - 20 mm

Symbols & Technical Info



Slip Resistance

Where possible we will indicate the slip resistance indicated by an 'R' rating, ranging from R9 (for indoor areas) to R12 (the highest value – recommended for external areas). If you require more technical details concerning the safety characteristics, please contact us directly.




Frost Resistance

Tiles that have been classified as 'frost resistant' have been tested for conditions when freeze/ thawing occurs.



Shading

Products with the shading symbol (V1 - V4), indicates the range has a degree of shade variation from tile to tile (within the batch), characterised by a light to random finish to the surface.



Please Note

This literature is intended as a guide only.

Print cannot reproduce a true likeness of colour, tone or texture. Reference to a sample is essential.





MINOLI Transport Way, Cowley, Oxford, OX4 6LX

T: 01865 778 225 outdoor@minoli.co.uk THE SURFACE WITHIN™ 71 -73 George Street, London, W1U 8AQ

T: 020 7474 2934 thesurfacewithin@minoli.co.uk



