

A modern interior space with a large window on the left, showing a view of green trees and a field. Two vertical, cylindrical light fixtures hang from the ceiling. In the foreground, there are two brown leather chairs and a matching ottoman. The walls are made of large, light-colored panels.

Surface Solutions for Architects & Specifiers

minoli

www.minoli.co.uk



Contact us

For architects and specifiers looking for porcelain and ceramic tiles, extra-large slabs or outdoor paving products, our expert teams are ready to discuss your needs and would gladly advise on technical details and design options.

Daniel Abitabile

Corporate Client Account Manager

07836 215 106

daniel@minoli.co.uk

Lucy Minoli

Corporate Clients Department

DD: 0207 474 2920

lucy@minoli.co.uk

Valentino Prisinzano

Showroom Manager (Marylebone)

07467 942 900

valentino@minoli.co.uk

General Enquires:

01865 778 225

info@minoli.co.uk

minoli

Surface Solutions For Architects & Specifiers

This brochure catalogues a selection of series from the Minoli product portfolio, featuring small, standard and large format tiles, super-size slabs, décor pieces and outdoor porcelain pavers, particularly suited to architectural applications.

Minoli stock and supply a comprehensive range of architectural tiles, suitable for residential, education, healthcare, hotels and hospitality, retail, leisure and well-being, workplace and automotive projects, amongst others.

Our goal is simply to add value by sourcing the best products to meet our clients' particular needs, with a level of service considered second to none.

Our design-led product portfolio spans Core ranges specifically sourced for the development and commercial market, through to fine, Italian porcelain designs and extra-large slabs.

We also feature more sustainably produced series in our collections, some containing over 60% recycled content, without compromising on quality or aesthetics.

We work with clients and design teams to develop thoughtfully prepared specifications that deliver the perfect balance of creativity and cost effectiveness, so the end result is both desirable and viable.



We know we are price competitive on like-for-like material in relation to our peers in the industry, and our long-standing client base is testament to the confidence this cost-benefit brings.

At our centrally located Oxford Warehouse & Logistics Centre, we hold circa £4m in net cost value stock of the most frequently specified tile series, ready for prompt delivery.



We run our own fleet of 11 upgraded DAF delivery trucks and additional support vans, with Minoli employed drivers, meaning we can be far more responsive in planning our deliveries to site.

Read on to explore ranges that emulate with authenticity, concrete and resin, stone, metal, marble, terrazzo, wood and colourful brick and square designs.


Boost Concrete & Resin Look



Boost Stone Look



Boost Metal Look



Boost



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

160/320	1598 x 3198 x 6 mm
120/278	1195 x 2778 x 6 mm
120/240	1195 x 2395 x 9 mm
120/120*	1195 x 1195 x 9 mm
80/80*	795 x 795 x 9 mm
75/150	297 x 595 x 9 mm
60/120*	595 x 1195 x 9 mm
60/60*	595 x 595 x 9 mm
30/60	296 x 595 x 9 mm

*Also available in outdoor - 20 mm thick

For external cladding and external flooring, please speak to the team about your bespoke options

Not all sizes are available in all colours and finishes, contact us or visit www.minoli.co.uk for details.



Slip Resistance

Matt - 6 mm	R9
Matt - 9 mm	R10
Velvet	N.C
Grip	R11
Outdoor	R11

30/60

60/60

80/80

120/120

60/120

75/150

120/240

120/278

160/320

Boost Colour



Sizes & Technical

Rectified Ceramic




Rectified Calibrated Sizes

50/120 500 x 1198 x 8.5 mm

50/120



Nyra Stone Look



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

160/320	1598 x 3198 x 6 mm
120/278	1195 x 2778 x 6 mm
120/240	1195 x 2395 x 9 mm
120/120*	1195 x 1195 x 9 mm
80/80*	795 x 795 x 9 mm
75/150	297 x 595 x 9 mm
60/120*	595 x 1195 x 9 mm
60/60*	595 x 595 x 9 mm
30/60	296 x 595 x 9 mm

*Also available in outdoor - 20 mm thick

For external cladding and external flooring, please speak to the team about your bespoke options

Not all sizes are available in all colours and finishes, contact us or visit www.minoli.co.uk for details.



Slip Resistance

Matt - 6 mm	R9
Matt - 9 mm	R10
Grip	R11
Hammered	R11
Outdoor (20 mm)	R11

30/60

60/60

80/80

120/120

60/120


75/150

120/240

120/278

160/320

Nyra Ceramic Wall



Sizes & Technical

Rectified Ceramic



Rectified Calibrated Sizes


50/120	500 x 1195 x 8.5 mm
40/80	397 x 795 x 8.5 mm

50/120


40/80



Marvel Marble Look



Marvel Marble Look



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

160/320	1598 x 3198 x 6 mm
120/278	1195 x 2778 x 6 mm
120/240	1195 x 2395 x 9 mm
120/120	1195 x 1195 x 9 mm
80/80	795 x 795 x 9 mm
75/150	297 x 595 x 9 mm
60/120*	595 x 1195 x 9 mm
60/60	595 x 595 x 9 mm
30/60	296 x 595 x 9 mm

*Also available in outdoor - 20 mm thick

For external cladding and external flooring, please speak to the team about your bespoke options

Not all sizes are available in all colours and finishes, contact us or visit www.minoli.co.uk for details.



Slip Resistance

Matt - 6 mm	R9
Matt - 9 mm	R10
Polished	N.C
Velvet	N.C
Silk	N.C
Grip	R11
Hammered	R11
Outdoor (20 mm)	R11

N.C - Non-compliant (no slip resistance)

30/60

60/60

80/80

120/120

60/120


75/150

120/240

120/278

160/320

Gemstones Terrazzo Look



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

60/60 595 x 595 x 9 mm


Slip Resistance

Matt R10

60/60



Log



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

20/180	196 x 1795 x 9.5 mm
18.5/150	181.5 x 1495 x 9 mm
20/120	196 x 1195 x 9 mm
30/120	298 x 1198 x 20 mm

Slip Resistance

Matt	R10
Grip	R11
Outdoor (20 mm)	R11

For external cladding and external flooring, please speak to the team about your bespoke options

Not all sizes are available in all colours and finishes, contact us or visit www.minoli.co.uk for details.

20/180


18.5/150

20/120

30/120



Log Select



Sizes & Technical

Rectified Porcelain



Rectified Calibrated Sizes

20/180	196 x 1795 x 9.5 mm
18.5/150	181.5 x 1495 x 9 mm
20/120	196 x 1195 x 9 mm

20/180

18.5/150

20/120

Not all sizes are available in all colours and finishes, contact us or visit www.minoli.co.uk for details.




Slip Resistance

Matt	R10
Grip	R11



Luminous Lume



Sizes & Technical


Porcelain




6/24 - 10 mm



Luminous Lume Swing 3D



Luminous Lume Rake 3D




Sizes & Technical


Porcelain



6/24 - 14 mm



Zellige




Sizes & Technical


Ceramic



10/10 - 10 mm



Confetto



Sizes & Technical

Porcelain



5/15 - 10 mm


Slip Resistance

Semi-Matt

R9



Confetto Struttura 3D Savoiaro



Sizes & Technical

Porcelain



5/15 - 12.5 mm



More Information

Slip Resistance

Rectified porcelain tiles suitable for internal and external areas as outlined below.

- R10 (Matt - 9 mm)** Suitable for most indoor areas.
- R9 (Matt - 6 mm)** Suitable for most indoor areas.
- R11 (Grip & Outdoor)** Recommended for external areas.

Please contact us directly if you require more technical details concerning the safety characteristics.

Frost Resistant

Marvel porcelain tiles are classified as 'frost resistant' and have been tested externally in cold conditions when freezing/thawing has occurred.

Please Note

This literature is intended as a guide only. Print cannot reproduce a true likeness of colour, tone, or texture. Reference to a sample is essential.

Velvet Finish Guidelines

SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines.

INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.


DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

Colour-Shading

The V-Shade Classification indicates the chromatic and/or surface variation within tiles of the same collection/ batch.

Characterised by a light to random finish to the surface.



Range	Colour-Shading
Boost	V3 High
Boost Balance	V2 Moderate
Boost Colour	V1 Light
Boost Expression	V2 Moderate
Boost Icor	V3 High
Boost Mineral	V3 High
Boost Mix	V3 High
Boost Natural	V2 Moderate
Boost Pro	V3 High
Boost Stone	V2 Moderate
Boost Vision	V2 Moderate
Confetto	-
Gemstones	V2 Moderate
Log	Natural Collection V2 Moderate Forest Collection V3 High
Log Select	V2 Moderate
Luminous	Beige V3 High Black V2 Moderate Blue V2 Moderate Bone V2 Moderate Caramel V3 High China V3 High Emerald V3 High Forest V3 High Green V2 Moderate Greige V3 High Musk V3 High Ocean V3 High Classic Off-White V3 High Pesca-Rosa (Pink) V3 High Turquoise V3 High White V2 Moderate

Range	Colour-Shading
Marvel	V2 Moderate
Marvel Diva	V3 High
Marvel Dream	V2 Moderate
Marvel Epic	V3 High
Marvel Gala	V3 High
Marvel Meraviglia	V3 High
Marvel Onyx	V3 High
Marvel Shine	Calacatta Delicato V2 Moderate Calacatta Prestigio V2 Moderate Calacatta Imperiale V3 High
Marvel Stone	V2 Moderate
Marvel T	V2 Moderate
Marvel Travertine	V3 High
Marvel Ten-X	Calacatta Apuano V2 Moderate Calacatta Sublime V3 High Calacatta Perla V3 High Grey Cloud V3 High Fior di Bosco V3 High
Nyra	V2 Moderate
Zellige	Argilla V4 Random Bosco V3 High Cammello V4 Random Carbone V2 Moderate China V3 High Cielo V3 High Corallo V3 High Gesso V2 Moderate Lana V4 Random Petrolio V3 High Salvia V3 High Turchesse V3 High

Solar & Light Values

SR (Solar Reflectance) - SRI (Solar Reflectance Index) with Internal Method - LRV (Light Reflectance Value) with Internal Method

INDOOR PAVING (9 MM)

Range	Colour	L	a	b	SR	SRI	LRV	
Boost	Grey	60	0,88	3,71	0,37	40	28	
	Tarmac	34	0,03	-0,12	0,16	15	8	
	Pearl	69,65	0,76	3,45	0,47	54	40	
	White	81	1,02	4,84	0,61	74	59	
	Smoke	51	0,85	1,92	0,28	29	19	
Boost Balance	Pure	87,1	0,04	2,57	0,69	86	70	
	Ivory	80,06	1,06	7,24	0,60	72	57	
	White	79,78	1,35	5,34	0,59	72	56	
	Monn	83,33	-0,04	2,38	0,64	79	63	
	Pearl	69,15	0,26	3,16	0,46	53	40	
	Cream	72,88	1,5	8,25	0,51	59	45	
	Ash	66,16	2,01	7,96	0,43	49	36	
	Grey	61,56	0,37	2,88	0,38	42	30	
	Smoke	52,46	0,39	1,34	0,30	31	21	
	Tarmac	31,86	-0,13	0,03	0,15	13	7	
Boost Color	Pure	85,87	-0,36	1,65	0,68	84	68	
	Moon	79,55	-0,59	0,43	0,59	71	56	
	Dove	77,77	0,39	2,46	0,57	68	53	
	Linen	82,91	0,69	8,94	0,64	78	62	
	Mauve	71,8	2,6	6	0,50	58	43	
	Pebble	74	0,61	4,23	0,52	61	47	
	Cream	77,47	0,67	11,5	0,56	68	52	
	Sun	81,73	1,64	23,75	0,62	76	60	
	Salix	81,53	-1,86	6,54	0,62	75	59	
	Mint	74,5	-2,65	7,58	0,53	62	48	
	Jade	70,95	-3,57	1,52	0,49	56	42	
	Teal	54,79	-5,15	-4,81	0,32	33	23	
	Iris	67,6	-2,75	-3,86	0,45	51	37	
	Navy	48,74	-4,26	-9,76	0,27	27	17	
	Boost Expression	Glow	86,22	0,09	4,97	0,68	85	68
		Shell	83,82	0,71	10,93	0,65	80	64
		Tan	73,1	1,27	12,64	0,51	60	45
Camel		79,07	0,66	13,38	0,59	70	55	
Carbon		32,49	-0,28	-0,29	0,16	14	7	
Ice		82,38	-0,21	4,64	0,63	77	61	
Haze		75,73	-0,25	4,37	0,54	64	50	
Boost Icor		Bone	83,19	0,16	7,65	0,64	78	63
	Dust	74,51	1,15	9,99	0,53	62	48	
	Dune	78,17	1	13,66	0,57	69	54	
	Oyster	67,63	0,47	7,98	0,45	51	38	
	Crete	67,94	0,97	11,1	0,45	51	38	
	Sideral	59,17	0,35	5,82	0,36	39	27	

Range	Colour	L	a	b	SR	SRI	LRV
Boost Mineral	Smoke	52,65	1,54	3,93	0,30	31	21
	Tarmac	36,25	0,85	1,48	0,18	16	9
	Pearl	65,67	2,04	5,33	0,43	48	35
	Grey	58,97	1,99	4,78	0,36	39	27
	White	78,25	3	7,7	0,57	69	54
Boost Mix	Pearl	61	1,47	3,82	0,38	41	29
	Smoke	46,3	1,27	3,52	0,25	24	16
	Ivory	74,9	3,86	9,64	0,53	63	48
Boost Natural	Cobalt	51,7	-3,95	-2,34	0,29	30	20
	Coral	58,93	5,67	12,36	0,36	38	27
	Umber	47,51	2,01	6,06	0,26	25	16
	Coal	43,25	0,27	0,83	0,22	21	13
	Kaolin	81,57	1,39	7,46	0,62	75	60
	Ash	67,06	2,24	7,91	0,44	50	37
	Ecru	56,87	2,73	8,48	0,34	36	25
Boost Pro	Boost Ivory	78,37	1,93	7,63	0,58	69	54
	Boost Taupe	55,08	2,46	7,25	0,32	34	23
	Boost Cream	74,03	2,13	10,65	0,52	61	47
	Boost Tobacco	42,06	1,73	4,55	0,22	20	13
	Boost Clay	64,17	2,4	8,69	0,41	46	33
Boost Stone	Grey	62,05	0,51	3,22	0,39	43	30
	Ivory	78,18	1,67	7,17	0,57	69	54
	White	79,05	1,04	5,21	0,58	70	55
	Smoke	51,38	0,64	2,12	0,29	29	20
	Tarmac	35,53	-0,02	0,65	0,17	15	9
	Cream	72,29	1,84	9,12	0,50	58	44
	Pearl	66,22	1	4,78	0,43	49	36
	Clay	61,95	2,42	8,2	0,39	43	30
	Taupe	52,01	2,52	5,86	0,29	30	20
Tobac	44,92	1,73	4,18	0,24	23	15	
Boost Vision	Boost Glow	82,81	1,01	5,21	0,63	78	62
	Boost Haze	78,26	1,18	4,88	0,57	69	54
	Boost Grey	63,37	0,81	5,17	0,40	45	32
	Boost Ash	65,89	1,8	8,4	0,43	48	35
	Boost Camel	75,28	2,12	9,67	0,54	64	49
Log	Bright Oak	71,41	3,21	21,09	0,49	57	43
	Deep Oak	60,57	5,18	22,69	0,37	41	29
	Amber Oak	64,73	5,98	22,11	0,42	47	34
	Moon Oak	63,03	3,71	20,45	0,40	44	32
	Icon Oak	66,61	4,46	22,36	0,44	49	36
	Amber Pure	63,87	8,01	23,28	0,41	45	33
	Bright Pure	71,76	5,36	21,76	0,49	58	43
	Moon Pure	65,35	4,92	18,38	0,42	47	35
	Icon Pure	63,59	5,98	21,02	0,40	45	32
	Ivory Pure	75,23	1,71	12,97	0,54	64	49
	White Flamed	80,13	1,09	8,87	0,60	72	57
	Bright Flamed	70,03	5,93	22,41	0,47	55	41
	Silver Flamed	54,93	1,28	8,67	0,32	33	23
	Moka Flamed	43,48	3,48	9,44	0,23	22	14
	Icon Flamed	68,79	4,23	19,11	0,46	53	39

Range	Colour	L	a	b	SR	SRI	LRV
Marvel	Calacatta Extra	85,2	0,19	4,63	0,67	82	66
Marvel Ten-X	Calacatta Apuano	92,6	0,86	4,29	0,78	98	82
	Calacatta Sublime	88,53	-0,85	3,27	0,71	89	73
	Calacatta Perla	84,38	-0,10	5,02	0,66	81	65
	Grey Cloud	75,87	0,27	1,79	0,54	65	50
	Fior di Bosco	55,5	0,92	2,49	0,32	34	23
Marvel Dream	Black Atlantis	30,32	-0,03	-0,78	0,14	12	6
Marvel Gala	Crystal White	78,96	0,41	4,87	0,58	70	55
	Desert Soul	52,63	6,89	16,19	0,30	31	21
	Amazonite	55,06	-5,80	4,03	0,32	34	23
	Exotic Green	52,4	-9,25	5,5	0,30	31	21
	Calacatta Black	31,84	0,42	0,8	0,15	13	7
Marvel Diva	White Everest	75,83	0,15	5,17	0,54	65	50
	Sky Stone	79,46	-0,56	4,85	0,59	71	56
	Black Tempest	33,44	-0,5	0,52	0,16	14	8
	Precious Brown	35,75	-0,19	2,69	0,17	16	9
	Aqua	46,98	-3,87	0,12	0,25	25	16
	Amethyst	63,66	2,5	14,32	0,40	45	32
	Ice Crystal	77,13	-0,32	5,85	0,56	67	52
	Galaxy	40,9	-2,97	0,25	0,21	19	12
	Taj Mahal	80,63	0	5,03	0,61	73	58
Baobab	30,87	-1,76	4,17	0,15	13	7	
Gemstones	Terrazzo Black	20,85	0,97	0,77	0,10	9	3
	Terrazzo Grey	62,9	-0,3	1,5	0,40	44	32
	Terrazzo White	80,3	-0,25	3,4	0,60	73	57
	Terrazzo Pearl	71,05	-0,5	1,7	0,49	56	42
	Terrazzo Cream	79,3	0,92	5,16	0,59	71	56
Marvel Meraviglia	Calacatta Meraviglia	85,5	-0,4	1,95	0,67	83	67
	Calacatta Bernini	79,2	0,37	5,45	0,59	71	55
	Silver Majestic	59,02	0,86	3,34	0,36	39	27
	Grigio Elegante	53,92	1,25	5,22	0,31	32	22
Black Origin	33,2	0,07	-0,24	0,16	14	8	
Marvel Onyx	White	83,42	0,15	5,29	0,64	79	63
	Alabaster	82,66	0,24	6,86	0,63	77	62
	Pearl	80,48	0,2	3,47	0,60	73	56
	Noir	33,42	0,13	-0,25	0,16	14	8
	Sky	69,15	-1,06	-2,96	0,46	53	40
Quartz	77,08	4,7	5,75	0,56	67	52	
Marvel Shine	Calacatta Delicato	88,49	-0,78	3,19	0,71	89	73
	Calacatta Prestigio	85,61	-0,69	3,93	0,67	83	67
	Statuario Supremo	83,13	-0,48	1,75	0,64	78	62
	Calacatta Imperiale	82,65	-0,24	6,31	0,63	77	62
Marvel T	Romano Silver	76,75	0,23	7,72	0,56	66	51
	Romano Sand	76,32	0,96	12,85	0,55	65	50
	Halo Sand	83,66	-0,32	7,21	0,65	79	63
	Halo White	86,65	-0,55	4,45	0,69	85	69
	Navona Sand	77,69	1,02	12,02	0,57	68	53
	Navona White	82,31	0,44	9,56	0,63	77	61
	Stone Veil	79,17	0,65	6,69	0,59	71	55

Range	Colour	L	a	b	SR	SRI	LRV
Marvel Travertine	Sand Vein	77,84	4,6	13,25	0,57	68	53
	Pearl Vein	74,88	2,11	7,76	0,53	63	48
	White Vein	81,3	2,35	7,02	0,61	75	59
	Sand Cross	78,6	4,84	13,65	0,58	70	54
	Pearl Cross	77,5	2,68	8,45	0,57	68	52
	White Cross	84,6	2,16	7,71	0,66	81	65
Nyra	Ambrosia	68,55	1,21	10,95	0,46	52	39
	Star	79,85	0,89	6,63	0,60	72	56
	Charcoal	37,27	0,37	1,89	0,18	17	10
	Meteor	56,99	0,89	4,85	0,34	36	25
	Mist	66,12	1,38	8,17	0,43	49	36
	Sunlight	74,98	1,77	11,63	0,53	63	48
	Hay	77,43	1,95	8,87	0,56	67	52

OUTDOOR PAVING (20 MM)

Range	Colour	L	a	b	SR	SRI	LRV
Boost	Grey	60			0,55	65	50
	Tarmac	34			0,28	29	19
	White	81			0,31	32	22
	Smoke	51			0,37	40	28
Boost Balance	Ash	65,05			0,16	15	8
	Grey	58,83			0,61	74	59
	White	79,49			0,28	29	19
	Pearl	68,06			0,42	47	36
Boost Expression	Ice	65,05			0,36	38	30
	Haze	58,83			0,59	71	57
	Shell	79,49			0,45	52	40
Boost Icor	Bone				0,58	69	54
	Dust				0,54	64	49
	Oyster				0,64	79	63
	Dune				0,59	71	56
Boost Pro	Tobacco	40,4			0,52	61	46
	Clay	62			0,44	51	37
	Taupe	53,3			0,51	60	45
	Cream	72,2			0,20	19	13
Boost Mineral	White	72,78			0,39	43	33
	Grey	57,52			0,30	32	23
	Tarmac	36,5			0,50	58	47
	Smoke	48,82			0,51	59	54
Boost Mix	Ivory	76,84			0,34	37	27
	Pearl	62			0,18	16	9
	Smoke	49,3			0,27	27	21
Boost Natural	Ecrú	57,4			0,56	66	48
	Ash	64,7			0,39	43	29
	Kaolin	79,2			0,27	27	16
Boost Natural Pro	Cinder	57,4			0,34	37	25
	Oat	64,7			0,42	47	37

Range	Colour	L	a	b	SR	SRI	LRV
Boost Stone	Grey	58,4			0,59	71	60
	Smoke	49,7			0,51	60	46
	Tarmac	40,12			0,58	69	54
	Clay	59,3			0,35	38	30
	Cream	74,15			0,27	28	20
	White	76,05			0,20	19	9
Log	Ico Deck				0,40	44	32
	Moon				0,43	48	35
	Bright				0,52	61	46
	Deep				0,36	39	28
	Amber				0,41	46	34
Marvel Meraviglia	Calacatta Bernini	84,05			0,65	80	55
	Calacatta Meraviglia	85,19			0,67	82	67
	Grigio Elegante	53,1			0,30	31	22
Marvel Travertine	Pearl vein	73,76			0,52	61	52
	Sand vein	76,62			0,55	66	54
	White vein	80,9			0,61	74	65
Marvel X	Fior di bosco	61,68			0,38	42	23
	Calacatta apuano	86,1			0,68	84	82

INDOOR CERAMIC WALL

Range	Colour	L	a	b	SR	SRI	LRV
Nyra	Star	79,33	0,74	8,43	0,59	71	56
	Hay	76,71	1,63	10,62	0,56	66	51
	3D Saddle Star	79,02	-0,1	7,22	0,58	70	55
	3D Saddle Hay	79,21	1,36	9,66	0,59	71	55
	3D Qube Star	78,19	1,04	7,66	0,57	69	54
	3D Qube Hay	74,96	1,46	11,2	0,53	63	48

minoli

OXFORD

Transport Way, Cowley, Oxford, OX4 6LX

T: 01865 778 225

info@minoli.co.uk

MARYLEBONE

71 -73 George Street, London, W1U 8AQ

T: 020 7474 2934

marylebone@minoli.co.uk

CHELSEA

648 Kings Road, London, SW6 2DU

chelsea@minoli.co.uk

(Opening Autumn 2026)