

TANUM

Range Booklet



THE SURFACE WITHIN™

minoli

TANUM BONE



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
SHADING: V2 MODERATE
SLIP RESISTANCE: R9
WEAR GRADE: IV



TANUM BONE RECT
VC02804
30/60 (10MM)



TANUM BONE RECT
VC02807
60/60 (10MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TANUM CENIZA



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
SHADING: V2 MODERATE
SLIP RESISTANCE: R9
WEAR GRADE: III



TANUM CENIZA RECT
VC02806
30/60 (10MM)



TANUM CENIZA RECT
VC02809
60/60 (10MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TANUM PLOMO



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
SHADING: V2 MODERATE
SLIP RESISTANCE: R9
WEAR GRADE: III



TANUM PLOMO RECT
VC02805
30/60 (10MM)




TANUM PLOMO RECT
VC02808
60/60 (10MM)




THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL


The products within the Minoli 'TANUM' range have a degree of shade variation from tile to tile, characterised by a Light finish to the surface.




Moderate V2




Light V1



Moderate V2



High V3



Random V4

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



Transport Way Cowley Oxford OX4 6LX United Kingdom
T. 01865 778 225 www.minoli.co.uk

THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk