


TRUST

Range Booklet



THE SURFACE WITHIN™

minoli


TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN


WEAR GRADE: V

SLIP RESISTANCE: MATT R10 / GRIP R12

SHADING: V3 HIGH



TRUST MOON RECT
30/60 CM (9MM)
*ALSO AVAILABLE IN GRIP FINISH
[SPECIAL ORDER](#)



TRUST MOON BRICK MOSAICO RECT
30/60 CM (9MM)
[SPECIAL ORDER](#)



TRUST IVORY RECT
60/60 CM (9MM)
[SPECIAL ORDER](#)



TRUST IVORY MOSAICO RECT
30/30 CM (9MM)
[SPECIAL ORDER](#)




THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH




TRUST MOON MATT
20/60 (9MM)
SPECIAL ORDER



TRUST MOON MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST MOON MATT
40/60 (9MM)
SPECIAL ORDER



TRUST MOON MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST MOON MATT
75/150 (9.5MM)
[SPECIAL ORDER](#)



TRUST MOON MATT
75/75 (9.5MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST IVORY




TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R10 / GRIP R12

SHADING: V3 HIGH



TRUST IVORY RECT
VC02383
*ALSO AVAILABLE IN GRIP FINISH
30/60 CM (9MM)



TRUST IVORY BRICK MOSAICO RECT
VC02385
30/60 CM (9MM)



TRUST IVORY RECT
VC02285
60/60 CM (9MM)



TRUST IVORY MOSAICO RECT
30/30 CM (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST IVORY




TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST MOON MATT
20/60 (9MM)
SPECIAL ORDER



TRUST MOON MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST MOON MATT
40/60 (9MM)
SPECIAL ORDER



TRUST MOON MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST IVORY MATT
75/150 (9.5MM)
[SPECIAL ORDER](#)



TRUST IVORY MATT
75/75 (9.5MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST IVORY




TRUST IVORY MATT
60/120 (20MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST IVORY MATT
60/60 (20MM)
[SPECIAL ORDER](#)



TRUST IVORY MATT
45/90 (20MM)
[SPECIAL ORDER](#)



TRUST IVORY MATT
30/60 (20MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST GOLD



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: MATT R10 / GRIP R12
SHADING: V3 HIGH



TRUST GOLD RECT
30/60 (9MM)
*ALSO AVAILABLE IN GRIP FINISH
[SPECIAL ORDER](#)




TRUST GOLD RECT
30/60 (9MM)
[SPECIAL ORDER](#)



TRUST IVORY RECT
60/60 (9MM)
[SPECIAL ORDER](#)



TRUST GOLD MOSAICO RECT
30/30 (9MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST GOLD



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST GOLD MATT
20/60 (9MM)
SPECIAL ORDER



TRUST GOLD MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST GOLD MATT
40/60 (9MM)
SPECIAL ORDER



TRUST GOLD MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST GOLD



TRUST GOLD MATT
60/120 (20MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST GOLD MATT
60/60 (20MM)
[SPECIAL ORDER](#)



TRUST GOLD MATT
45/90 (20MM)
[SPECIAL ORDER](#)



TRUST GOLD MATT
30/60 (20MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN

WEAR GRADE: V

SLIP RESISTANCE: MATT R10 / GRIP R12


SHADING: V3 HIGH



TRUST COPPER RECT
VC02382
*ALSO AVAILABLE IN GRIP FINISH
30/60 CM (9MM)



TRUST COPPER RECT
VC02387
30/60 CM (9MM)



TRUST COPPER RECT
VC02284
60/60 CM (9MM)



TRUST COPPER MOSAICO RECT
30/30 CM (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST COPPER



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH




TRUST COPPER MATT
20/60 (9MM)
SPECIAL ORDER




TRUST COPPER MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST COPPER MATT
40/60 (9MM)
SPECIAL ORDER



TRUST COPPER MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST SILVER



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: MATT R10 / GRIP R12
SHADING: V3 HIGH



TRUST SILVER RECT
VC02381
*ALSO AVAILABLE IN GRIP FINISH
30/60 CM (9MM)



TRUST SILVER RECT
VC02386
30/60 CM (9MM)



TRUST SILVER RECT
VC02283
60/60 CM (9MM)



TRUST SILVER MOSAICO RECT
30/30 CM (9MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST SILVER




TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST SILVER MATT
20/60 (9MM)
SPECIAL ORDER



TRUST SILVER MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST SILVER MATT
40/60 (9MM)
SPECIAL ORDER



TRUST SILVER MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH



TRUST SILVER MATT
75/150 (9.5MM)
[SPECIAL ORDER](#)



TRUST SILVER MATT
75/75 (9.5MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST SILVER



TRUST SILVER MATT
60/120 (20MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R11
SHADING: V3 HIGH



TRUST SILVER MATT
60/60 (20MM)
[SPECIAL ORDER](#)



TRUST SILVER MATT
45/90 (20MM)
[SPECIAL ORDER](#)



TRUST SILVER MATT
30/60 (20MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST TITANIUM



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: MATT R10 / GRIP R12
SHADING: V3 HIGH




TRUST TITANIUM RECT
VC02384
*ALSO AVAILABLE IN GRIP FINISH
30/60 (9MM)



TRUST TITANIUM RECT
VC02384
30/60 (9MM)



TRUST TITANIUM RECT
VC02380
60/60 (9MM)



TRUST TITANIUM MOSAICO RECT
30/30 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

TRUST TITANIUM



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R10
SHADING: V3 HIGH




TRUST TITANIUM MATT
20/60 (9MM)
SPECIAL ORDER



TRUST TITANIUM MATT
22.5/90 (9MM)
SPECIAL ORDER



TRUST TITANIUM MATT
40/60 (9MM)
SPECIAL ORDER




TRUST TITANIUM MATT
45/90 (9MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL




TRUST TITANIUM MATT
60/120 (20MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN
WEAR GRADE: V
SLIP RESISTANCE: R11
SHADING: V3 HIGH



TRUST TITANIUM MATT
60/60 (20MM)
[SPECIAL ORDER](#)



TRUST TITANIUM MATT
45/90 (20MM)
[SPECIAL ORDER](#)




TRUST TITANIUM MATT
30/60 (20MM)
[SPECIAL ORDER](#)


THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL


The products within the Minoli 'TRUST' range have a degree of shade variation from tile to tile, characterised by a High to Random finish to the surface.




High V3




Light V1



Moderate V2



High V3



Random V4

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



Transport Way Cowley Oxford OX4 6LX United Kingdom
T. 01865 778 225 www.minoli.co.uk

THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk