


HARDY

Range Booklet



THE SURFACE WITHIN™


minoli

HARDY WHITE



TECHNICAL CHARACTERISTICS:

30/60 WALL: RECTIFIED CERAMIC
60/60 FLOOR: RECTIFIED PORCELAIN
WEAR GRADE: IV / SHADING: V2 MODERATE
SLIP RESISTANCE: R10



HARDY WHITE MATT
VC03586
30/60 (8.5MM)



HARDY WHITE MATT
VC03588
60/60 (10MM)



THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

HARDY CALM



TECHNICAL CHARACTERISTICS:

30/60 WALL: RECTIFIED CERAMIC
60/60 FLOOR: RECTIFIED PORCELAIN
WEAR GRADE: IV / SHADING: V2 MODERATE
SLIP RESISTANCE: R10



HARDY CALM MATT
VC03587
30/60 (8.5MM)



HARDY CALM MATT
VC03589
60/60 (10MM)




THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL


HARDY SHADING




The products within the Minoli 'HARDY' range have a degree of shade variation from tile to tile, characterised by a Moderate finish to the surface.




Moderate V2




Light V1



Moderate V2



High V3



Random V4

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL



Transport Way Cowley Oxford OX4 6LX United Kingdom
T. 01865 778 225 www.minoli.co.uk

THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk