

BRAVESTONE

Range Booklet



THE SURFACE WITHIN™

minoli

BRAVESTONE GYPSUM



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10
SHADING: V2 MODERATE



BRAVESTONE GYPSUM
VC03097
30 X 60 CM (10MM)



BRAVESTONE GYPSUM MOSAICO
VC03103
30 X 30 CM (10MM)



BRAVESTONE GYPSUM
VC03100
60 X 60 CM (10MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE GYPSUM



BRAVESTONE GYPSUM
45 X 90 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE GYPSUM GRIP
30 X 60 CM (10MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10 / GRIP R11
SHADING: V2 MODERATE



BRAVESTONE GYPSUM
75 X 150 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE GYPSUM
75 X 75 CM (10MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE GYPSUM LASTRA (20MM)



TECHNICAL CHARACTERISTICS:


RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R11
SHADING: V2 MODERATE



BRAVESTONE GYPSUM LASTRA (20MM)
45 X 90 CM (20MM)
[SPECIAL ORDER](#)



BRAVESTONE GYPSUM LASTRA (20MM)
60 X 60 CM (20MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™


THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE PEARL



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10
SHADING: V2 MODERATE



BRAVESTONE PEARL
VC03096
30 X 60 CM (10MM)



BRAVESTONE PEARL MOSAICO
VC03102
30 X 30 CM (10MM)



BRAVESTONE PEARL
VC03099
60 X 60 CM (10MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE PEARL



BRAVESTONE PEARL
45 X 90 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE PEARL GRIP
30 X 60 CM (10MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10 / GRIP R11
SHADING: V2 MODERATE



BRAVESTONE PEARL
75 X 150 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE PEARL
75 X 75 CM (10MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE PEARL LASTRA (20MM)



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R11
SHADING: V2 MODERATE

R11



BRAVESTONE PEARL LASTRA (20MM)
45 X 90 CM (20MM)
[SPECIAL ORDER](#)



BRAVESTONE PEARL LASTRA (20MM)
60 X 60 CM (20MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE GREY




TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10
SHADING: V2 MODERATE



BRAVESTONE GREY
VC03098
30 X 60 CM (10MM)



BRAVESTONE GREY MOSAICO
VC03104
30 X 30 CM (10MM)



BRAVESTONE GREY
VC03101
60 X 60 CM (10MM)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE GREY



BRAVESTONE GREY
45 X 90 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE GREY GRIP
30 X 60 CM (10MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10 / GRIP R11
SHADING: V2 MODERATE



BRAVESTONE GREY
75 X 150 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE GREY
75 X 75 CM (10MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE GREY LASTRA (20MM)

minoli

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R11
SHADING: V2 MODERATE

R11



BRAVESTONE GREY LASTRA (20MM)
45 X 90 CM (20MM)
[SPECIAL ORDER](#)



BRAVESTONE GREY LASTRA (20MM)
60 X 60 CM (20MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE EARTH




TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10
SHADING: V2 MODERATE



BRAVESTONE EARTH
30 X 60 CM (10MM)
SPECIAL ORDER



BRAVESTONE EARTH MOSAICO
30 X 30 CM (10MM)
SPECIAL ORDER



BRAVESTONE EARTH
60 X 60 CM (10MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE EARTH



BRAVESTONE EARTH
45 X 90 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE EARTH GRIP
30 X 60 CM (10MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10 / GRIP R11
SHADING: V2 MODERATE



BRAVESTONE EARTH
75 X 150 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE EARTH
75 X 75 CM (10MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE EARTH LASTRA (20MM)



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R11
SHADING: V2 MODERATE


R11



BRAVESTONE EARTH LASTRA (20MM)
45 X 90 CM (20MM)
[SPECIAL ORDER](#)



BRAVESTONE EARTH LASTRA (20MM)
60 X 60 CM (20MM)
[SPECIAL ORDER](#)



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE COKE

minoli

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10
SHADING: V2 MODERATE



BRAVESTONE COKE
30 X 60 CM (10MM)
SPECIAL ORDER



BRAVESTONE COKE MOSAICO
30 X 30 CM (10MM)
SPECIAL ORDER



BRAVESTONE COKE
60 X 60 CM (10MM)
SPECIAL ORDER



THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE COKE



BRAVESTONE COKE
45 X 90 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE COKE GRIP
30 X 60 CM (10MM)
[SPECIAL ORDER](#)

TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R10 / GRIP R11
SHADING: V2 MODERATE



BRAVESTONE COKE
75 X 150 CM (10MM)
[SPECIAL ORDER](#)



BRAVESTONE COKE
75 X 75 CM (10MM)
[SPECIAL ORDER](#)

THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL

BRAVESTONE COKE LASTRA (20MM)



TECHNICAL CHARACTERISTICS:

RECTIFIED PORCELAIN STONEWARE
SLIP RESISTANCE: R11
SHADING: V2 MODERATE


R11



BRAVESTONE COKE LASTRA (20MM)
45 X 90 CM (20MM)
[SPECIAL ORDER](#)




BRAVESTONE COKE LASTRA (20MM)
60 X 60 CM (20MM)
[SPECIAL ORDER](#)




THE SURFACE WITHIN™

THIS LITERATURE IS INTENDED AS A GUIDE ONLY, PRINT CANNOT REPRODUCE A TRUE LIKENESS OF COLOUR, TONE OR TEXTURE. REFERENCE TO A SAMPLE IS ESSENTIAL




Moderate V2


The products within the Minoli 'BRAVESTONE' range have a degree of shade variation from tile to tile, characterised by a Light to Moderate finish to the surface.




Light V1



Moderate V2



High V3



Random V4



The European logo of environmental quality certifies compliance with the European environmental criteria and is only given to products that have a low environmental impact. Ecolabel is quality award that identifies and promotes the most eco-friendly products. The environmental criteria evaluate the impact on the entire life cycle: extraction of raw materials, manufacturing, distributions, use and final disposal.

THE SURFACE WITHIN™



Transport Way Cowley Oxford OX4 6LX United Kingdom
T. 01865 778 225 www.minoli.co.uk

THE SURFACE WITHIN™

71-73 George Street London W1U 8AQ
T. 020 7474 2934 www.thesurfacewithin.co.uk